



**HEMPFIELD SCHOOL DISTRICT
LANDISVILLE MIDDLE SCHOOL**

**340 MUMMA DRIVE
LANDISVILLE, PA**

**RF Emissions Testing Results
Test Date: February 12, 2021**

Engineer: Stephanie Koles
Meter: Narda NBM-550
Calibration Due: April 1, 2021
Probe: EA5091 Electric Field Probe
Test Date: February 12, 2021



Introduction

V-COMM, L.L.C. has been commissioned by the Hempfield School District, to provide RF exposure measurement and reporting. This report provides the EME field study for Landisville Middle School.

EME Field Measurements

The following details the procedure used in collecting EME field measurements. The survey instrument used was setup for recording the field strength at various points around the Landisville Middle School at 340 Mumma Drive, Landisville, Pennsylvania.

The model NBM-550 electric field strength meter and model EA5091 field intensity probe, both manufactured by Narda Safety Test Solutions and L3 Technologies Company, were used to collect all the field measurements¹. The meter has a dynamic range of 30dB and is capable of calculating percentage with respect to FCC maximum permissible exposure (MPE) limits. The probe used is a broadband (300 kHz to 50 GHz) electric field isotropic shaped probe calibrated for the occupational environment. For exposure to multiple frequencies (broadband), the fraction (or percentage) of the MPE produced by frequency is determined and the addition of these fractions (or percentage) must not exceed unity (or 100 percent of FCC standard) to be in compliance with federal requirements.

The instrumentation and the measurement procedures used are based on the references published by the IEEE document (ANSI/IEEE C95.3-1992) and by the NCRP document (NCRP Report No. 199), all approved references by the FCC. Also, the equipment used conforms to FCC 1997 Regulation 300 kHz – 50 GHz, NCRP Report 86, Occupational Environments 300 kHz - 50GHz and ANSI C95.1 – 1982 300kHz – 50 GHz.

A walk survey was performed around the Landisville Middle School and its immediate vicinity to determine the areas of high field strength. Measurements were also performed inside the school and on the roof. At multiple emitter sites, such as the Little Silver Municipal Tower, the total detected field strength of each emitter (to its limit, at its frequency) is summed within the probe to display the result in “% of Std.”

The measurements for this site were performed utilizing spatial averaging technique, in compliance with FCC requirements. A spatially average measurement is an average value derived by making a series of measurements, either in a straight line or over two-dimensional area that is a representative of the human form. Spatially average RF field levels most accurately relate to estimating the whole body averaged specific absorption rate that will result from the exposure. All the major worldwide standards concerned with human exposure to radio frequency radiation have exposure limits based on field levels averaged over the whole body.

Results

The results of the analysis indicate that the maximum level of RF energy measured in and around Landisville Middle School to which the general public (“general population/uncontrolled”) may be exposed to, is below all federal health and safety limits. Specifically, field measurements show that the maximum level of RF energy at the Landisville Middle School is **2.48 %** of FCC Standard for the public environment, which complies with federal RF safety limits.

¹ Note: The EA5091 Electric Field Probe is calibrated to the FCC Occupational Standard. The conversion to the FCC General Public Standard is to multiply by Occupational measurement by 5.


Landisville Middle School Outdoor RF Emissions Testing Locations



Landisville Middle School Outdoor RF Emissions Testing Data

Index	Date	Timestamp	E-Field % Controlled Standard	E-Field % Uncontrolled Standard
1	02/12/21	15:12:55	0.0908	0.4540
2	02/12/21	15:13:15	0.0939	0.4695
3	02/12/21	15:14:02	0.0866	0.4330
4	02/12/21	15:14:54	0.1093	0.5465
5	02/12/21	15:15:35	0.1638	0.8190
6	02/12/21	15:16:31	0.0685	0.3425
7	02/12/21	15:18:09	0.1871	0.9355
8	02/12/21	15:19:04	0.1768	0.8840
9	02/12/21	15:19:39	0.2556	1.2780
10	02/12/21	15:20:30	0.3453	1.7265
11	02/12/21	15:21:25	0.3799	1.8995
12	02/12/21	15:22:11	0.4204	2.1020
13	02/12/21	15:25:46	0.2344	1.1720
14	02/12/21	15:26:30	0.2551	1.2755
15	02/12/21	15:27:12	0.2933	1.4665
16	02/12/21	15:30:34	0.1096	0.5480
17	02/12/21	15:31:36	0.1393	0.6965
18	02/12/21	15:32:24	0.1511	0.7555
19	02/12/21	15:33:15	0.0913	0.4565
20	02/12/21	15:34:09	0.1334	0.6670
21	02/12/21	15:35:06	0.0419	0.2095
22	02/12/21	15:39:25	0.1559	0.7795
23	02/12/21	15:42:14	0.0211	0.1055
24	02/12/21	15:43:32	0.0284	0.1420
25	02/12/21	15:44:30	0.0556	0.2780
26	02/12/21	15:45:32	0.0759	0.3795
27	02/12/21	15:47:16	0.0387	0.1935


Landisville Middle School Indoor RF Emissions Testing Locations



Landisville Middle School Indoor RF Emissions Testing Data

Index	Date	Timestamp	E-Field % Controlled Standard	E-Field % Uncontrolled Standard
1	02/12/21	14:41:55	0.4968	2.4840
2	02/12/21	14:42:58	0.4131	2.0655
3	02/12/21	14:44:06	0.3737	1.8685
4	02/12/21	14:44:53	0.3375	1.6875
5	02/12/21	14:45:58	0.1762	0.8810
6	02/12/21	14:46:30	0.2129	1.0645
7	02/12/21	14:47:07	0.2482	1.2410
8	02/12/21	14:47:54	0.2055	1.0275
9	02/12/21	14:48:41	0.2583	1.2915
10	02/12/21	14:49:10	0.2467	1.2335
11	02/12/21	14:50:01	0.2466	1.2330
12	02/12/21	14:50:36	0.1935	0.9675
13	02/12/21	14:55:36	0.0092	0.0460
14	02/12/21	14:56:58	0.0276	0.1380
15	02/12/21	14:57:48	0.0432	0.2160
16	02/12/21	14:58:29	0.0994	0.4970
17	02/12/21	14:59:16	0.0862	0.4310
18	02/12/21	15:00:04	0.0318	0.1590
19	02/12/21	15:00:57	0.0377	0.1885
20	02/12/21	15:02:10	0.0706	0.3530
21	02/12/21	15:02:58	0.1184	0.5920
22	02/12/21	15:03:52	0.1845	0.9225
23	02/12/21	15:04:40	0.2673	1.3365
24	02/12/21	15:05:31	0.1140	0.5700
25	02/12/21	15:07:01	0.0027	0.0135

Landisville Middle School Rooftop RF Emissions Testing Locations



Landisville Middle School Roof RF Emissions Testing Data

Location	Date	Timestamp	E-Field % Controlled Standard	E-Field % Uncontrolled Standard
1	02/12/21	13:36:57	0.0008	0.0040
2	02/12/21	13:45:23	0.0322	0.1610
3	02/12/21	13:45:59	0.0206	0.1030
4	02/12/21	13:48:33	0.1362	0.6810
5	02/12/21	13:49:53	0.1162	0.5810
6	02/12/21	13:50:35	0.1428	0.7140
7	02/12/21	13:51:20	0.0079	0.0395
8	02/12/21	13:52:21	0.0068	0.0340
9	02/12/21	13:53:26	0.0302	0.1510
10	02/12/21	13:55:25	0.0242	0.1210
11	02/12/21	13:56:54	0.0780	0.3900
12	02/12/21	13:58:43	0.1036	0.5180
13	02/12/21	14:00:08	0.1567	0.7835
14	02/12/21	14:06:21	0.0050	0.0250
15	02/12/21	14:08:18	0.0023	0.0115
16	02/12/21	14:08:55	0.0153	0.0765
17	02/12/21	14:26:40	0.0000	0.0000
18	02/12/21	14:27:27	0.0000	0.0000
19	02/12/21	14:28:14	0.0192	0.0960
20	02/12/21	14:29:19	0.0212	0.1060
21	02/12/21	14:30:10	0.0257	0.1285
22	02/12/21	14:30:51	0.0564	0.2820
23	02/12/21	14:31:34	0.0763	0.3815